

# MINI PWR-ZONE DRY 3P 30KVA 480V-208Y/120

MPZ30T2F

Discontinued on: 27 July 2021

• End-of-service on: 30 July 2021

Product availability: Stock - Normally stocked in distribution facility

Price\*: 15,338.00 USD

#### Main

Product	Sealed Transformer
Certifications	UL Listed
Туре	Mini Power-Zone
Enclosure Code	С
Insulation Temperature	365 °F (185 °C)
Phase	3 phase
Primary Voltage	480 V
Secondary Voltage	208Y/120 V
Full Capacity Taps	2 5 % FCBN
Power Rating	30 kVA
Temperature Rise	115 °C
Winding Material	Copper
Interrupt Rating	18 kA
Circuit Breaker Type	Primary main breaker Secondary main breaker Feeder breaker
Interior Type	QO Load Center interior
Number of Spaces Available	24
Number of Circuits	24
Enclosure Type	NEMA 3R hot-rolled steel

## Ordering and shipping details

• • • • • •	
Category	16275 - MPZ PLUG ON BRANCH CB
Discount Schedule	PE2
GTIN	00785901839002
Nbr. of units in pkg.	1
Package weight(Lbs)	1 lb(US) (0.45 kg)
Returnability	No

<sup>\*</sup> Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.


Country of origin	US
Packing Units	
Package 1 Height	1.67 ft (0.508 m)
Package 1 width	4.00 ft (1.219 m)
Package 1 Length	2.67 ft (0.813 m)
Offer Sustainability	
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
PVC free	Yes
Contractual warranty	
Warranty	18 months

#### **Dimensions**

Three Phase - Enclosure C 13.60 [345] Front View 0.56 dia. [14] 0 Side View 20.6 [523] 26.40 0.50 dia. [13] Hinged door with padlock hasp 24.9 [633] 24.4 [620] Dead front circuit breaker panel 0.56 dia. [14] 16.0 [406] 27.40 [mm] [696] 0.50 x 0.75 knockouts [13] x [19] 1.00 x 125 knockouts [25] x [32] 2.70 [69] 2.00 [51] typ. မှ

ALL DIMENSIONS ARE APPROXIMATE. ALSO SEE TECHNICAL DRAWINGS AND DOCUMENTATION.

### Wiring Diagram



## Recommended replacement(s)

MPZ30T2F is replaced by:

1x



Transformer, Mini Power Zone, 30kVA, 480V-208Y/120, 3 phase, dry  $$\operatorname{\mathsf{MPU30T2F}}$$